## Approved For Release 2006/11/01 : CIA-RDP70-00211R000500040008-3

SECRET

(When Pi	<del>lied In</del> )	
SPEED LETTER	REPLY REQUESTED	DATE 28 October 1966 LETTER NO.
	YES NO	
TO: CCS/RMO, GH-44, Headquarters		ords Adminstration Branch rvices Staff, DDS 25:
l. As you know, a shortage of file equipment attempting to release as many safes as possible. President has also extended his moratorium this makes it even more essential that we be	sible for reassi on the purchase	gnment and reissue. The of the file equipment, and
2. If any Offices within your component ar reports, supplies, forms, periodicals, and in supply cabinets which occupy valuable of type of equipment which may be mounted on t	other materials	s in active file equipment, or a may be interested in a new
3. The attached brochure from the General type of over-file storage cabinets. And whof this equipment, this brochure was one in to you as a matter of general information. display in Room 702, Magazine Building, whi	ile this compan mediately avail Also, we have	y is not the only supplier able; so, we are sending it a piece of this equipment on
4. I would appreciate your comments as to file storage cabinet idea. If you are intethis type equipment, let us know. If you a should contact us for assistance.	rested in obtain	other aspects of the over- ning more information about
Att: Equipment Brochure		
REPLY		3 November 1966
1. CCS is not interested in procuri cabinets at this time. However, we I am therefore retaining the brochur	might be inte	
2. You asked for comments as to uti these cabinets. I think they could that could not be filed in the file would direct the user of the file to material is filed, and in most cases filing cabinet. Another use would b stacking two units or using some sor storage area and counter. A single of a telephone table again serving t be the best, but at least to me they	be used for a folder, a crothe cabinet it would be e as a counted to f base, it small unit cowo purposes.	filing bulky material // bss reference form in which the bulky directly above the er, this would require t would serve both as a buld be used in place My ideas might not
		25.